


# Armaflex®

## ASSURANCE SYSTEM



 armacell®

The Armaflex Assurance System - your peace-of-mind assurance that Armaflex is made to the strictest quality, technical performance and environmentally friendly standards.

### PREVENTS MOISTURE PERMEATION

Multi-layered closed wall cells provide a built-in vapour barrier which can't be compromised by surface punctures or rips - this ensures the vapour barrier stays working for the lifetime of the insulation system.

### PROVIDES LONG-TERM THERMAL PERFORMANCE

Non-wicking - No transmission of water vapour is possible through the insulation due to the closed cell nature of Armaflex. Moisture will not migrate through professionally installed Armaflex.

### LONG-TERM DURABILITY

No fragile water vapour barrier - The built-in vapour barrier can't be "damaged" during installation or over the lifetime of the insulation.

### AVOIDS THERMAL BRIDGING

Armaflex is a seamless insulation system - these same technical properties provide a secure system.

### LONG-TERM ENERGY EFFICIENCY

By minimising the ingress of water vapour into the insulation the multi-layered cells in Armaflex prevent the thermal conductivity from rising. Increased thermal conductivity can in the long term lead to increased energy costs and surface condensation.

### IN-BUILT ANTI-MICROBIAL PROTECTION

In-built Microban® technology gives Armaflex an added level of protection against harmful microbes such as bacteria, mold and mildew.

### INHIBITS GROWTH OF MOULD

- Minimises moisture permeation, the first requirement for mold growth
- Minimises the second requirement: No cellulosic vapour jacket, and the smooth surface doesn't trap dust

### FORMALDEHYDE-FREE

Ensures that Armaflex is a low-emitting product. It is also low VOC.

### SUPPORT REQUIREMENTS OF HEALTH & IAQ\*

- Dust and Fibre-Free
- Will not emit any particles or fibres - even when cut into shapes and fittings
- No outgassing - CFC & HCFC free manufacturing process

### SUPERVISED MANUFACTURING & TECHNICAL VALUES


Factory Mutual Approval Guide and CE Marking - guarantee consistent performance to published values by monitoring

- Fire Performance (Euroclass, FM pipe chase test, Flammability test)
- Water Vapour Transmission
- Thermal Conductivity

### SUPERVISED QUALITY STANDARDS

ISO Registration ensures that all Armacell manufacturing facilities consistently meet customer requirements . . . by managing all processes with ongoing quality assessments.

\* Indoor-Air-Quality



# armacell®

**Armacell UK Limited**  
 Mars Street, Oldham, Lancashire, OL9 6LY  
 Tel 0161 287 7100 · Fax 0161 633 2685  
 www.armacell.com · info.uk@armacell.com



All statements and technical information are based on results obtained under typical conditions. It is the responsibility of the recipient to verify with us that the information is appropriate for the specific use intended. For updates to this document please refer to our website [www.armacell.com/uk](http://www.armacell.com/uk).  
 \*MICROBAN is a registered trademark of Microban Products Company.